

CILINDRO EUROPERFIL NORMAL LEVA CORTA


SERIE 5990



CARACTERÍSTICAS

- Cuerpo de latón
- Rotores de latón
- Leva corta de 13,25 mm
- 5 pitones
- 3 llaves

ACCESORIOS OPCIONALES



DESCRIPCIÓN


REF.

MEDIDAS

ACABADOS

UDS



A B C



• Cilindro doble




| | | | | | |
|-------------|----|----|-----|----|---|
| 5990/2525/3 | 26 | 26 | 62 | LP | 1 |
| 5990/2525/4 | 26 | 26 | 62 | LN | 1 |
| 5990/2530/3 | 26 | 31 | 67 | LP | 1 |
| 5990/2530/4 | 26 | 31 | 67 | LN | 1 |
| 5990/2535/3 | 26 | 36 | 72 | LP | 1 |
| 5990/2535/4 | 26 | 36 | 72 | LN | 1 |
| 5990/3030/3 | 31 | 31 | 72 | LP | 1 |
| 5990/3030/4 | 31 | 31 | 72 | LN | 1 |
| 5990/2540/3 | 26 | 41 | 77 | LP | 1 |
| 5990/2540/4 | 26 | 41 | 77 | LN | 1 |
| 5990/3035/3 | 31 | 36 | 77 | LP | 1 |
| 5990/3035/4 | 31 | 36 | 77 | LN | 1 |
| 5990/2545/3 | 26 | 46 | 82 | LP | 1 |
| 5990/2545/4 | 26 | 46 | 82 | LN | 1 |
| 5990/3040/3 | 31 | 41 | 82 | LP | 1 |
| 5990/3040/4 | 31 | 41 | 82 | LN | 1 |
| 5990/3535/3 | 36 | 36 | 82 | LP | 1 |
| 5990/3535/4 | 36 | 36 | 82 | LN | 1 |
| 5990/2550/3 | 26 | 51 | 87 | LP | 1 |
| 5990/2550/4 | 26 | 51 | 87 | LN | 1 |
| 5990/3540/3 | 36 | 41 | 87 | LP | 1 |
| 5990/3540/4 | 36 | 41 | 87 | LN | 1 |
| 5990/3045/3 | 31 | 46 | 87 | LP | 1 |
| 5990/3045/4 | 31 | 46 | 87 | LN | 1 |
| 5990/2555/3 | 26 | 56 | 92 | LP | 1 |
| 5990/2555/4 | 26 | 56 | 92 | LN | 1 |
| 5990/3050/3 | 31 | 51 | 92 | LP | 1 |
| 5990/3050/4 | 31 | 51 | 92 | LN | 1 |
| 5990/3545/3 | 36 | 46 | 92 | LP | 1 |
| 5990/3545/4 | 36 | 46 | 92 | LN | 1 |
| 5990/4040/3 | 41 | 41 | 92 | LP | 1 |
| 5990/4040/4 | 41 | 41 | 92 | LN | 1 |
| 5990/2560/3 | 26 | 61 | 97 | LP | 1 |
| 5990/2560/4 | 26 | 61 | 97 | LN | 1 |
| 5990/3055/3 | 31 | 56 | 97 | LP | 1 |
| 5990/3055/4 | 31 | 56 | 97 | LN | 1 |
| 5990/2565/3 | 26 | 66 | 102 | LP | 1 |
| 5990/2565/4 | 26 | 66 | 102 | LN | 1 |


CILINDRO EUROPERFIL NORMAL LEVA CORTA
SERIE 5990

| DESCRIPCIÓN | REF. | MEDIDAS | | | ACABADOS | UDS   |
|-------------|-------------|---------|----|-----|----------|---|
| | | A | B | C | | |
| | 5990/3060/3 | 31 | 61 | 102 | LP | 1 |
| | 5990/3060/4 | 31 | 61 | 102 | LN | 1 |
| | 5990/3555/3 | 36 | 56 | 102 | LP | 1 |
| | 5990/3555/4 | 36 | 56 | 102 | LN | 1 |
| | 5990/4050/3 | 41 | 51 | 102 | LP | 1 |
| | 5990/4050/4 | 41 | 51 | 102 | LN | 1 |
| | 5990/4545/3 | 46 | 46 | 102 | LP | 1 |
| | 5990/4545/4 | 46 | 46 | 102 | LN | 1 |
| | 5990/4055/3 | 41 | 56 | 107 | LP | 1 |
| | 5990/4055/4 | 41 | 56 | 107 | LN | 1 |
| | 5990/2575/3 | 26 | 76 | 112 | LP | 1 |
| | 5990/2575/4 | 26 | 76 | 112 | LN | 1 |
| | 5990/3565/3 | 36 | 66 | 112 | LP | 1 |
| | 5990/3565/4 | 36 | 66 | 112 | LN | 1 |
| | 5990/4060/3 | 41 | 61 | 112 | LP | 1 |
| | 5990/4060/4 | 41 | 61 | 112 | LN | 1 |
| | 5990/4555/3 | 46 | 56 | 112 | LP | 1 |
| | 5990/4555/4 | 46 | 56 | 112 | LN | 1 |
| | 5990/5050/3 | 51 | 51 | 112 | LP | 1 |
| | 5990/5050/4 | 51 | 51 | 112 | LN | 1 |
| | 5990/2585/3 | 26 | 86 | 122 | LP | 1 |
| | 5990/2585/4 | 26 | 86 | 122 | LN | 1 |
| | 5990/3080/3 | 31 | 81 | 122 | LP | 1 |
| | 5990/3080/4 | 31 | 81 | 122 | LN | 1 |
| | 5990/3575/3 | 36 | 76 | 122 | LP | 1 |
| | 5990/3575/4 | 36 | 76 | 122 | LN | 1 |
| | 5990/4070/3 | 41 | 71 | 122 | LP | 1 |
| | 5990/4070/4 | 41 | 71 | 122 | LN | 1 |
| | 5990/5555/3 | 56 | 56 | 122 | LP | 1 |
| | 5990/5555/4 | 56 | 56 | 122 | LN | 1 |
| | 5990/2595/3 | 26 | 96 | 132 | LP | 1 |
| | 5990/2595/4 | 26 | 96 | 132 | LN | 1 |
| | 5990/4080/3 | 41 | 81 | 132 | LP | 1 |
| | 5990/4080/4 | 41 | 81 | 132 | LN | 1 |
| | 5990/6060/3 | 61 | 61 | 132 | LP | 1 |
| | 5990/6060/4 | 61 | 61 | 132 | LN | 1 |
| | 5990/3595/3 | 36 | 96 | 142 | LP | 1 |
| | 5990/3595/4 | 36 | 96 | 142 | LN | 1 |
| | 5990/6565/3 | 66 | 66 | 142 | LP | 1 |
| | 5990/6565/4 | 66 | 66 | 142 | LN | 1 |
| | 5990/7070/3 | 71 | 71 | 152 | LP | 1 |
| | 5990/7070/4 | 71 | 71 | 152 | LN | 1 |
| | 5990/7575/3 | 76 | 76 | 162 | LP | 1 |
| | 5990/7575/4 | 76 | 76 | 162 | LN | 1 |





CILINDRO EUROPERFIL NORMAL LEVA CORTA

SERIE 590PM, 5990T

| DESCRIPCIÓN | REF. | MEDIDAS | | | ACABADOS | UDS   |
|---|-------------|---------|-----|----|----------|---|
| | | A | B | C | | |
|  <ul style="list-style-type: none"> Cilindro con pomo | 590PM2525/3 | 26 | 26 | 62 | LP | 1 |
| | 590PM2525/4 | 26 | 26 | 62 | LN | 1 |
| | 590PM2530/3 | 26 | 31 | 67 | LP | 1 |
| | 590PM2530/4 | 26 | 31 | 67 | LN | 1 |
| | 590PM2535/3 | 26 | 36 | 72 | LP | 1 |
| | 590PM2535/4 | 26 | 36 | 72 | LN | 1 |
| | 590PM3030/3 | 31 | 31 | 72 | LP | 1 |
| | 590PM3030/4 | 31 | 31 | 72 | LN | 1 |
| | 590PM3525/3 | 36 | 26 | 72 | LP | 1 |
| | 590PM3525/4 | 36 | 26 | 72 | LN | 1 |
| | 590PM2540/3 | 26 | 41 | 77 | LP | 1 |
| | 590PM2540/4 | 26 | 41 | 77 | LN | 1 |
| | 590PM2545/3 | 26 | 46 | 82 | LP | 1 |
| | 590PM2545/4 | 26 | 46 | 82 | LN | 1 |
| | 590PM3535/3 | 36 | 36 | 82 | LP | 1 |
| | 590PM3535/4 | 36 | 36 | 82 | LN | 1 |
| | 590PM2550/3 | 26 | 51 | 87 | LP | 1 |
| | 590PM2550/4 | 26 | 51 | 87 | LN | 1 |
| | 590PM3045/3 | 31 | 46 | 87 | LP | 1 |
| | 590PM3045/4 | 31 | 46 | 87 | LN | 1 |
| 590PM3540/3 | 36 | 41 | 87 | LP | 1 | |
| 590PM3540/4 | 36 | 41 | 87 | LN | 1 | |
| 590PM2555/3 | 26 | 56 | 92 | LP | 1 | |
| 590PM2555/4 | 26 | 56 | 92 | LN | 1 | |
| 590PM3545/3 | 36 | 46 | 92 | LP | 1 | |
| 590PM3545/4 | 36 | 46 | 92 | LN | 1 | |
| 590PM2560/3 | 26 | 61 | 97 | LP | 1 | |
| 590PM2560/4 | 26 | 61 | 97 | LN | 1 | |
| 590PM2565/3 | 26 | 66 | 102 | LP | 1 | |
| 590PM2565/4 | 26 | 66 | 102 | LN | 1 | |

| | | | | | |
|--|-----------|----|----|----|---|
|  <ul style="list-style-type: none"> Medio cilindro | 5990T40/3 | 26 | 42 | LP | 1 |
| | 5990T40/4 | 26 | 42 | LN | 1 |
| | 5990T45/3 | 31 | 47 | LP | 1 |
| | 5990T45/4 | 31 | 47 | LN | 1 |
| | 5990T50/3 | 36 | 52 | LP | 1 |
| | 5990T50/4 | 36 | 52 | LN | 1 |
| | 5990T55/3 | 41 | 57 | LP | 1 |
| | 5990T55/4 | 41 | 57 | LN | 1 |
| | 5990T60/3 | 46 | 62 | LP | 1 |
| | 5990T60/4 | 46 | 62 | LN | 1 |
| | 5990T65/3 | 51 | 67 | LP | 1 |
| | 5990T65/4 | 51 | 67 | LN | 1 |
| | 5990T70/3 | 56 | 72 | LP | 1 |
| | 5990T70/4 | 56 | 72 | LN | 1 |

CILINDRO EUROPERFIL NORMAL LEVA CORTA
SERIE 590PM, 55990PT

| DESCRIPCIÓN | REF. | MEDIDAS | | | ACABADOS | UDS |
|---|--------------|---------|----|----|----------|-----|
| | | A | B | C | | |
|  <ul style="list-style-type: none"> • Medio cilindro con pomo | 590PM2505/3 | 26 | 42 | LP | 1 | |
| | 590PM2505/4 | 26 | 42 | LN | 1 | |
| | 590PM3005/3 | 31 | 47 | LP | 1 | |
| | 590PM3005/4 | 31 | 47 | LN | 1 | |
| | 590PM3505/3 | 36 | 52 | LP | 1 | |
| | 590PM3505/4 | 36 | 52 | LN | 1 | |
| | 590PM4005/3 | 41 | 57 | LP | 1 | |
| | 590PM4005/4 | 41 | 57 | LN | 1 | |
| | 590PM4505/3 | 46 | 62 | LP | 1 | |
| | 590PM4505/4 | 46 | 62 | LN | 1 | |
| | 590PM5005/3 | 51 | 67 | LP | 1 | |
| | 590PM5005/4 | 51 | 67 | LN | 1 | |
| | 590PM5505/3 | 56 | 72 | LP | 1 | |
| | 590PM5505/4 | 56 | 72 | LN | 1 | |
|  <ul style="list-style-type: none"> • Medio cilindro • Triángulo por un lado | 5990PT2505/3 | 26 | 42 | LP | 1 | |
| | 5990PT2505/4 | 26 | 42 | LN | 1 | |
|  <ul style="list-style-type: none"> • Doble cilindro • Llave por un lado y triángulo por el otro | 5990PT2525/3 | 26 | 26 | 62 | LP | 1 |
| | 5990PT2525/4 | 26 | 26 | 62 | LN | 1 |
| | 5990PT2535/3 | 26 | 36 | 72 | LP | 1 |
| | 5990PT2535/4 | 26 | 36 | 72 | LN | 1 |
| | 5990PT2545/3 | 26 | 46 | 82 | LP | 1 |
| | 5990PT2545/4 | 26 | 46 | 82 | LN | 1 |
|  <ul style="list-style-type: none"> • Doble cilindro • Triángulo por un lado y pomo por el otro | 590PM25T25/3 | 26 | 26 | 62 | LP | 1 |
| | 590PM25T25/4 | 26 | 26 | 62 | LN | 1 |
| | 590PM30T30/3 | 31 | 31 | 72 | LP | 1 |
| | 590PM30T30/4 | 31 | 31 | 72 | LN | 1 |
| | 590PM35T25/3 | 36 | 26 | 72 | LP | 1 |
| | 590PM35T25/4 | 36 | 26 | 72 | LN | 1 |
| | 590PM35T35/3 | 36 | 36 | 82 | LP | 1 |
| | 590PM35T35/4 | 36 | 36 | 82 | LN | 1 |
| | 590PM30T45/3 | 31 | 46 | 87 | LP | 1 |
| | 590PM30T45/4 | 31 | 46 | 87 | LN | 1 |